Hearing Research, 26 (1987) 337–338
Elsevier

Author Index

Aitkin, L.M., see Maffi, C.L., 211
Anniko, M., Borg, E., Hultcrantz, M. and Webster, D.B.
Morphological and electrophysiological study of the inner ear and the central auditory pathways following whole body fetal irradiation, 95

Barron, S.E. and Daigneault, E.A.
Effect of cisplatin on hair cell morphology and lateral wall Na,K-ATPase activity, 131
Bernard, C., see Ferrary, E., 139
Berndt, H., see Popelář, J., 239
Borg, E., see Anniko, M., 95
Brown, J.N. and Nuttall, A.L.
Cryoprobe-induced apical lesions in the chinchilla. I. Morphological effects of lesioning parameters, 301
Brown, J.N., see Smith, D.W., 311

Cazals, Y., see Horner, K.C., 319
Colon, E.J., see Rotteveel, J.J., 11
Colon, E.J., see Rotteveel, J.J., 21
Costalupes, J.A., Rich, N.C. and Ruggero, M.A.
Effects of excitatory and non-excitatory suppressor tones on two-tone rate suppression in auditory nerve fibers, 155

Daigneault, E.A., see Barron, S.E., 131
De Graaf, R., see Rotteveel, J.J., 21
Dodds, L.W., see Liberman, M.C., 45
Don, M., see Rizer, F.M., 127

Erwall, C., see Rask-Andersen, H., 177
Escoubet, B., see Ferrary, E., 139

Fechter, L.D., see Young, J.S., 37
Ferrary, E., Bernard, C., Sterkers, O. and Escoubet, B.
Prostaglandins in the semicircular canal of the frog, 139
Friberg, U., see Rask-Andersen, H., 177

Granier-Deferre, C., see Horner, K.C., 327
Guinan, J.J., Jr. and McCue, M.P.
Asymmetries in the acoustic reflexes of the cat stapedius muscle, 1

Horner, K.C. and Cazals, Y.
Rapidly fluctuating thresholds at the onset of experimentally-induced hydrops in the guinea pig, 319
Horner, K.C., Serviere, J. and Granier-Deferre, C.
Deoxyglucose demonstration of in-utero hearing in the guinea pig foetus (*Short Communication*), 327
Hultcrantz, M., see Anniko, M., 95

Ikeda, K., Kasukari, J., Takasaka, T. and Saito, Y.
The Ca^{2+} activity of cochlear endolymph of the guinea pig and the effect of inhibitors, 117
Irvine, D.R.F.
Interaural intensity differences in the cat: Changes in sound pressure level at the two ears associated with azimuthal displacements in the frontal horizontal plane, 267

Kaufman, M.J., see Young, J.S., 37
Kitamura, T., see Tachibana, M., 171
Kuijpers, W., see Manni, J.J., 229
Kusakari, J., see Ikeda, K., 117

Lebovitz, R.M., see Seaman, R.L., 105
Lenoir, M. and Puel, J.-L.
Dose-dependent changes in the rat cochlea following aminoglycoside intoxication. II. Histological study, 199
Lenoir, M., see Puel, J.-L., 191
Liberman, M.C.
Chronic ultrastructural changes in acoustic trauma: Serial-section reconstruction of stereocilia and cuticular plates, 65
Liberman, M.C. and Dodds, L.W.
Acute ultrastructural changes in acoustic trauma: Serial-section reconstruction of stereocilia and cuticular plates, 45
Lusted, H.S.
Recording electrode site in relation to amplitude of the electrically evoked auditory brainstem response (*Letter to the Editor*), 225

Maffi, C.L. and Aitkin, L.M.
Differential neural projections to regions of the inferior colliculus of the cat responsive to high frequency sounds, 211
Manley, G.A., Schulze, M. and Oeckinghaus, H.
Otoacoustic emissions in a song bird, 257
Manni, J.J. and Kuijpers, W.
Longitudinal flow of macromolecules in the endolymphatic space of the rat. An autoradiographical study, 229
McCue, M.P., see Guinan, J.J., Jr., 1
Moody, D.B., see Smith, D.W., 311
Morioka, H., see Tachibana, M., 171

Narins, P.M.
Coding of signals in noise by amphibian auditory nerve fibers, 145
Nishimura, H., see Tachibana, M., 171
Nuttall, A.L., see Brown, J.N., 301
Nuttall, A.L., see Smith, D.W., 311

0378-5955/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Oeckinghaus, H., see Manley, G.A., 257

Popelář, J., Syka, J. and Berndt, H.
Effect of noise on auditory evoked responses in awake guinea pigs, 239
Puel, J.-L., Lenoir, M. and Uziel, A.
Dose-dependent changes in the rat cochlea following aminoglycoside intoxication. I. Physiological study, 191
Puel, J.-L., see Lenoir, M., 199

Rask-Andersen, H., Erwall, C., Steel, K.P. and Friberg, U.
The endolymphatic sac in a mouse mutant with cochleosaccular degeneration. Electrophysiological and ultrastructural correlations, 177
Rich, N.C., see Costalupes, J.A., 155
Rizer, F.M., Don, M. and Sininger, Y.
Induced temporary threshold shift in guinea pigs (*Short Communication*), 127
Rotteveel, J.J., Colon, E.J., Stegeman, D.F. and Visco, Y.M.
The maturation of the central auditory conduction in preterm infants until three months post term. I. Composite group averages of brainstem (ABR) and middle latency (MLR) auditory evoked responses, 11
Rotteveel, J.J., De Graaf, R., Colon, E.J., Stegeman, D.F. and Visco, Y.M.
The maturation of the central auditory conduction in preterm infants until three months post term. II. The auditory brainstem responses (ABRs), 21
Ruggero, M.A., see Costalupes, J.A., 155
Rybak, L.P. and Whitworth, C.
Some organic acids attenuate the effects of furosemide on the endocochlear potential, 89

Saito, Y., see Ikeda, K., 117
Schacht, J., see Zajic, G., 249
Schiano, J.L. and Trahiotis, C.
A programmable-delay line, 165
Schulze, M., see Manley, G.A., 257
Seaman, R.L. and Lebovitz, R.M.
Auditory unit responses to single-pulse and twin-pulse microwave stimuli, 105
Serviere, J., see Horner, K.C., 327
Sininger, Y., see Rizer, F.M., 127

Smith, D.W., Brown, J.N., Moody, D.B., Stebbins, W.C. and Nuttall, A.L.
Cryoprobe-induced apical lesions in the chinchilla. II. Effects on behavioral auditory thresholds, 311
Stebbins, W.C., see Smith, D.W., 311
Steel, K.P., see Rask-Andersen, H., 177
Stegeman, D.F., see Rotteveel, J.J., 11
Stegeman, D.F., see Rotteveel, J.J., 21
Sterkers, O., see Ferrary, E., 139
Stypulkowski, P.H., see Van den Honert, C., 226
Syka, J., see Popelář, J., 239

Tachibana, M., Morioka, H., Nishimura, H. and Kitamura, T.
Electron microscopic autoradiographic demonstration of inositol incorporation in the cochlea, 171
Takasaka, T., see Ikeda, K., 117
Trahiotis, C., see Schiano, J.L., 165
Turner, R.G.
Neural tuning in the granite spiny lizard, 287

Ulehlová, L. and Voldřich, L.
Modified staining technique for surface preparation of the organ of Corti (*Short Communication*), 221
Upchurch, M.B., see Young, J.S., 37
Uziel, A., see Puel, J.-L., 191

Van den Honert, C. and Stypulkowski, P.H.
Reply to Dr. Hugh Lusted's letter to the Editor (*Letter to the Editor*), 226
Visco, Y.M., see Rotteveel, J.J., 11
Visco, Y.M., see Rotteveel, J.J., 21
Voldřich, L., see Ulehlová, L., 221

Webster, D.B., see Anniko, M., 95
Whitworth, C., see Rybak, L.P., 89

Young, J.S., Upchurch, M.B., Kaufman, M.J. and Fechter, L.D.
Carbon monoxide exposure potentiates high-frequency auditory threshold shifts induced by noise, 37

Zajic, G. and Schacht, J.
Comparison of isolated outer hair cells from five mammalian species, 249

Hearing Research, 26 (1987) 339–342
Elsevier

Subject Index

Acoustic reflect
stapedius, middle ear, electromyography, 1
Acoustic trauma
stereocilia, hair cell, tuning curve, 45
Acoustic trauma
stereocilia, hair cell, auditory nerve fiber, 65
Acoustic trauma
temporary threshold shift, guinea pig, auditory brainstem response, 127
Afferent input
differential projection, central nucleus of inferior colliculus, high frequency, HRP retrograde tracing, 211
Amplitude response pattern
microwave hearing, cochlear nucleus, microwave pulse, frequency content, auditory unit, 105
Apical hair cell lesion
low frequency hearing loss, cryoprobe, 311
Apical lesion
cryolesion, cryoprobe, cochlea, chinchilla, 301
ATPase, (Na + K)
cisplatin, cochlea, guinea pig, ototoxicity, 131
Audio delay line
computer-controlled delay, 165
Audition
endolymphatic hydrops, 8th nerve action potential, fluctuating threshold, cochlea, pathology, 319
Auditory brainstem response
temporary threshold shift, guinea pig, acoustic trauma, 127
Auditory development
fetus, in-utero, deoxyglucose, guinea pig, hearing, 327
Auditory maturation
preterm infant, brainstem auditory evoked response, 21
Auditory nerve
cochlea, lizard, micromechanics, stereocilium, 287
Auditory nerve fiber
acoustic trauma, stereocilia, hair cell, 65
Auditory nerve fiber
suppression, chinchilla, tone, average rate, 155
Auditory neuron
rate-level function, intensity discrimination, frog, noise, 145
auditory pathway
noise impairment, awake guinea pig, 239
Auditory unit
microwave hearing, cochlear nucleus, microwave pulse, amplitude response pattern, frequency content, 105
Autoradiography
^{3}H-labeled inositol, perilymphatic perfusion, electron microscopy, 171
Autoradiography
sulfated glycoprotein, longitudinal flow, endolymphatic sac, secretion, resorption, 229
Average rate
suppression, auditory nerve fiber, chinchilla, tone, 155
Azimuth
interaural intensity difference, sound pressure transformation, pinna, cat, 267

Bird
songbird, otoacoustic emission, suppression, 257
Brainstem auditory evoked response
preterm infant, middle latency auditory evoked response, composite group average, 11
Brainstem auditory evoked response
preterm infant, auditory maturation, 21

Calcium ion
guinea pig, endolymph, pH, ion-selective microelectrode, 117
Carbon monoxide
ototoxicity, noise, threshold shift, rat, 37
Cat
internal intensity difference, sound pressure transformation, pinna, azimuth, 267
Central auditory pathway
embryonic development, inner ear, morphology, electrophysiology, 95
Central nucleus of inferior colliculus
differential projection, afferent input, high frequency, HRP retrograde tracing, 211
Chinchilla
suppression, auditory nerve fiber, tone, average rate, 155
Chinchilla
cryolesion, apical lesion, cryoprobe, cochlea, 301
Cisplatin
cochlea, guinea pig, (Na + K)-ATPase, ototoxicity, 131
Cochlea
cisplatin, guinea pig, (Na + K)-ATPase, ototoxicity, 131
Cochlea
auditory nerve, lizard, micromechanics, stereocilium, 287
Coclea
cryolesion, apical lesion, cryoprobe, chinchilla, 301
Cochlea
endolymphatic hydrops, 8th nerve action potential, fluctuating threshold, audition, pathology, 319
Cochlea, human
staining technique, inner ear pathology, 221

0378-5955/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Cochlear nucleus
microwave hearing, microwave pulse, amplitude response pattern, frequency content, auditory unit, 105
Cochleo-saccular degeneration
mouse mutant, endolymphatic sac, secretion, 177
Composite group average
preterm infant, brainstem auditory evoked response, middle latency auditory evoked response, 11
Compound action potential tuning curve
ototoxicity, frequency selectivity, rat, 191
Computer-controlled delay
audio delay line, 165
Cryolesion
apical lesion, cryoprobe, cochlea, chinchilla, 301
Cryoprobe
cryolesion, apical lesion, cochlea, chinchilla, 301
Cryoprobe
apical hair cell lesion, low frequency hearing loss, 311

Deoxyglucose
fetus, auditory development, in-utero, guinea pig, hearing, 327
Differential projection
afferent input, central nucleus of inferior colliculus, high frequency, HRP retrograde tracing, 211

Electromyography
stapedius, middle ear, acoustic reflex, 1
Electron microscopy
^{3}H-labeled inositol, perilymphatic perfusion, autoradiography, 171
Electrophysiology
embryonic development, inner ear, morphology, central auditory pathway, 95
Embryonic development
inner ear, morphology, electrophysiology, central auditory pathway, 95
Endocochlear potential
furosemide, ototoxicity, organic acid transport, 89
Endolymph
guinea pig, calcium ion, pH, ion-selective microelectrode, 117
Endolymphetic hydrops
8th nerve action potential, fluctuating threshold, cochlea, audition, pathology, 319
Endolymphatic sac
mouse mutant, cochleo-saccular degeneration, secretion, 177
Endolymphatic sac
sulfated glycoprotein, longitudinal flow, autoradiography, secretion, resorption, 229

Fetus
auditory development, in-utero, deoxyglucose, guinea pig, hearing, 327
Fluctuating threshold
endolymphatic hydrops, 8th nerve action potential, cochlea, audition, pathology, 319
Frequency content
microwave hearing, cochlear nucleus, microwave pulse, amplitude response pattern, auditory unit, 105
Frequency selectivity
ototoxicity, compound action potential tuning curve, rat, 191
Frog
semicircular canal, prostaglandin, prostacyclin, 139
Frog
rate-level function, auditory neuron, intensity discrimination, noise, 145
Furosemide
ototoxicity, endocochlear potential, organic acid transport, 89

Guinea pig
endolymph, calcium ion, pH, ion-selective microelectrode, 117
Guinea pig
temporary threshold shift, acoustic trauma, auditory brainstem response, 127
Guinea pig
cisplatin, cochlea, (Na + K)-ATPase, ototoxicity, 131
Guinea pig
fetus, auditory development, in-utero, deoxyglucose, hearing, 327
Guinea pig, awake
noise impairment, auditory pathway, 239

Hair cell
acoustic trauma, stereocilia, tuning curve, 45
Hair cell
acoustic trauma, stereocilia, auditory nerve fiber, 65
Hair cell, outer
isolated cell, species difference, morphology, 249
Hearing
fetus, auditory development, in-utero, deoxyglucose, guinea pig, 327
High frequency
differential projection, afferent input, central nucleus of inferior colliculus, HRP retrograde tracing, 211
HRP retrograde tracing
differential projection, afferent input, central nucleus of inferior colliculus, high frequency, 211

Inner ear
embryonic development, morphology, electrophysiology, central auditory pathway, 95
Inner ear pathology
staining technique, human cochlea, 221
Inositol, ^{3}H-labeled
perilymphatic perfusion, autoradiography, electron microscopy, 171
Intensity discrimination
rate-level function, auditory neuron, frog, noise, 145
Interaural intensity difference
sound pressure transformation, pinna, azimuth, cat, 267
In-utero
fetus, auditory development, deoxyglucose, guinea pig, hearing, 327
Ion-selective microelectrode
guinea pig, endolymph, calcium ion, pH, 117

Isolated cell
outer hair cell, species difference, morphology, 249

Lizard
auditory nerve, cochlea, micromechanics, stereocilium, 287
Longitudinal flow
sulfated glycoprotein, endolymphatic sac, autoradiography, secretion, resorption, 229
Low frequency hearing loss
apical hair cell lesion, cryoprobe, 311

Micromechanics
auditory nerve, cochlea, lizard, stereocilium, 287
Microwave hearing
cochlear nucleus, microwave pulse, amplitude response pattern, frequency content, auditory unit, 105
Microwave pulse
microwave hearing, cochlear nucleus, amplitude response pattern, frequency content, auditory unit, 105
Middle ear
stapedius, acoustic reflex, electromyography, 1
Middle latency auditory evoked response
preterm infant, brainstem auditory evoked response, composite group average, 11
Morphology
embryonic development, inner ear, electrophysiology, central auditory pathway, 95
Morphology
outer hair cell, isolated cell, species difference, 249
Mouse mutant
cochleo-saccular degeneration, endolymphatic sac, secretion, 177

8th Nerve action potential
endolymphatic hydrops, fluctuating threshold, cochlea, audition, pathology, 319
Noise
ototoxicity, carbon monoxide, threshold shift, rat, 37
Noise
rate-level function, auditory neuron, intensity discrimination, frog, 145
Noise impairment
auditory pathway, awake guinea pig, 239

Organic acid transport
furosemide, ototoxicity, endocochlear poential, 89
Otoacoustic emission
bird, songbird, suppression, 257
Ototoxicity
noise, carbon monoxide, threshold shift, rat, 37
Ototoxicity
furosemide, endocochlear potential, organic acid transport, 89
Ototoxicity
cisplatin, cochlea, guinea pig, (Na + K)-ATPase, 131
Ototoxicity
compound action potential tuning curve, frequency selectivity, rat, 191
Ototoxicity
SEM, TEM, rat, 199

pH
guinea pig, endolymph, calcium ion, ion-selective microelectrode, 117
Pathology
endolymphatic hydrops, 8th nerve action potential, fluctuating threshold, cochlea, audition, 319
Perilymphatic perfusion
^{3}H-labeled inositol, autoradiography, electron microscopy, 171
Pinna
interaural intensity difference, sound pressure transformation, azimuth, cat, 267
Preterm infant
brainstem auditory evoked response, middle latency auditory evoked response, composite group average, 11
Preterm infant
brainstem auditory evoked response, auditory maturation, 21
Prostacyclin
frog, semicircular canal, prostaglandin, 139
Prostaglandin
frog, semicircular canal, prostacyclin, 139

Rat
ototoxicity, noise, carbon monoxide, threshold shift, 37
Rat
ototoxicity, compound action potential tuning curve, frequency selectivity, 191
Rat
ototoxicity, SEM, TEM, 199
Rate-level function
auditory neuron, intensity discrimination, frog, noise, 145
Resorption
sulfated glycoprotein, longitudinal flow, endolymphatic sac, autoradiography, secretion, 229

Secretion
mouse mutant, cochleo-saccular degeneration, endolymphatic sac, 177
Secretion
sulfated glycoprotein, longitudinal flow, endolymphatic sac, autoradiography, resorption, 229
SEM
ototoxicity, TEM, rat, 199
Semicircular canal
frog, prostaglandin, prostacyclin, 139
Songbird
bird, otoacoustic emission, suppression, 257
Sound pressure transformation
interaural intensity difference, pinna, azimuth, cat, 267
Species difference
outer hair cell, isolated cell, morphology, 249
Staining technique
human cochlea, inner ear pathology, 221
Stapedius
middle ear, acoustic reflex, electromyography, 1

Stereocilia
acoustic trauma, hair cell, tuning curve, 45
Stereocilia
acoustic trauma, hair cell, auditory nerve fiber, 65
Stereocilia
auditory nerve, cochlea, lizard, micromechanics, 287
Sulfated glycoprotein
longitudinal flow, endolymphatic sac, autoradiography, secretion, resorption, 229
Suppression
auditory nerve fiber, chinchilla, tone, average rate, 155
Suppression
bird, songbird, otoacoustic emisson, 257
TEM
ototoxicity, SEM, rat, 199
Temporary threshold shift
guinea pig, acoustic trauma, auditory brainstem response, 127
Threshold shift
ototoxicity, noise, carbon monoxide, rat, 37
Tone
suppression, auditory nerve fiber, chinchilla, average rate, 155
Tuning curve
acoustic trauma, stereocilia, hair cell, 45